



PRODUCT NUMBER: 2132251

## Vertigo Black PU C&G 1

Handling of fine products in a dry, slightly greasy or soiled environment.

# Honeywell

### Overview

**Reference Number**

2132251

**Product Type**

Gloves

**Range**

General purpose

**Line**

Precision work

**Brand**

Honeywell

**Brand formerly known as**

SPERIAN

**Industry**

- Industry
- Automotive and Part Manufacturer
- Aviation
- Logistics
- Maintenance
- Transportation

**Product Use**

Handling of fine products in a dry, slightly greasy or soiled environment.

### Features & Benefits

**Feature**

100% black polyamide knitted glove

Black polyurethane coating on palm and fingertips

**Benefit**

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.

The glove offers maximum comfort and added sturdiness.

The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch.

The ventilated back and PU coating optimise the glove's breathability.

RESISTANCE

The polyamide and its polyurethane coating provide a good abrasion and tear resistance.

The PU coating ensures a good grip.

SAFETY

Non pilling, the polyester fiber is suitable for precision work. The gloves are certified as "silicone-free" to ensure their use in painting.

**HYGIENE**

Its dark colour makes it more soilproof, thus ensuring a longer life.

**Technical Description**

**Description**

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 Basic standard

EN 388-2016 Mechanical risks

**CHARACTERISTICS :**

100% black polyamide knitted glove

Black polyurethane coating on palm and fingertips

**Product Technology**

Knitted Coated

**Gauge**

13

**Glove/liner color**

Black

**Coating Type**

Polyamide and polyurethane

**Length**

25 cm

**Harmlessness**

In conformity with the European standards.

**Dexterity**

Class 5

**Sizes**

6 to 12

**EN 388 - Mechanical Hazards Abrasion Resistance**

Abrasion resistance	4
Cutting resistance (Coupe test)	X
Tear resistance	3
Puncture resistance	1
Cutting resistance (TDM test)	A

**Certifications**

**EU Category PPE**

2

**Quality Assurance**

ISO 9001 / 2000

**EU Certification**

0075/797/162/08/18/1553

## Additional Information

### User Manual

UI 202

## Maintenance

### Storage Information

Minimum packaging : 10 pairs.

Cartons of 100 pairs.

### Care Instructions

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.